

#### MODEL#

# MODEL # SL6932 / SL6936-SF

**Questions?** 

E-MAIL: inquirySSL88@gmail.com MON-FRI 8:30AM - 5:30PM (PT)

#### **TOOLS REQUIRED**



Screwdriver (Not included)







Allen Wrench



2 - People

#### ASSEMBLY RATING



EASY — DIFFICULT

The assembly rating is a 5-point system showing the level of effort needed to assemble a specific product.






#### Thank you for your purchase!

We hope you enjoy this new addition to your home for many years to come.

Our commitment to providing quality products does not simply end when you purchase our product. We fully stand behind our products from start to finish. Our customer service department is available Monday – Friday 8:30 AM – 5:30 PM Pacific Time and can help with assembly questions as well as, if necessary, replacing damaged or missing parts. To help expedite our service, please have these assembly instructions readily available, along with your order receipt.





# CHECK BEFORE STARTING

| Are you missing anything?  Double-check all parts, hardware and accessories listed are all acccounted for.      | Check out our Quick Tips! We recommend reviewing the pre-assembly handouts. Even experts need a refresher now and then! |
|---|---|
| Should we send any replacements?  Are there any irregularities or flaws in the parts? We can send replacements! | Prep Time! Please review the assembly instructions and all diagrams prior to assembling.                                |

# PRE ASSEMBLY INTRODUCTION

We understand building ready-to-assemble furniture can be a challenging experience for some. To help avoid confusion, we have provided some helpful tips that may speed up the process.



#### **Teamwork**

ALWAYS have at least two people to help with transporting and assembling the product to avoid potential injury and/or damage.

#### **Suitable Location**

Assembling near the area of the intended location is highly recommended.

#### **Sufficient Space**

Make sure you have enough space to move around during the assembly.

#### **Avoid Scratches**

Use cardboard, blankets or a carpeted area while assembling furniture to prevent scratches and damages.

#### **Flat Surface**

Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.

## **ASSEMBLY AND CARE ADVICE**




FAILURE TO FOLLOW THE GUIDELINES BELOW MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.



Position each part correctly and insert screws or bolts into their respective holes.




Use the appropriate hand tools or power tools for assembly. Select steps, such as tightening screws and/or bolts, may require hand tools to avoid causing damage during assembly.



Turn clockwise to tighten and only tighten when step is completed or when instructed to do so.



Save the instruction and store any supplied tools for later maintenance.




After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.


IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.

# **SL6932/SL6936-SF Sofa**



- Please keep instructions for future reference.
- Check the quantity and irregularity of parts and hardware before you start.






# HARDWARE (A) 8 pcs (B) 5 pcs (C) 1 pc (D) 4 pcs (D) 4 pcs (D) 4 pcs (E) 4 pcs (E) 4 pcs (F) 4 pcs (G) 4 pcs (G) 4 pcs (H) 1 pc (D) 4 pcs (E) 4


## SL6932/SL6936-SF is packed into 2 cartons

| Carton                  | Designation         |     | Part | Hardware |                   |
|-------------------------|---------------------|-----|------|----------|-------------------|
|                         | Support rails       | #1  |      |          |                   |
|                         | Back panel          | #2  |      |          |                   |
| SL6932 /                | Front panel         | #3  |      |          |                   |
| SL6936-SF-1             | Seats frame         | #4  |      |          |                   |
|                         | Backest frame       | #5  |      |          |                   |
|                         | Middle support legs | #9  |      |          |                   |
|                         | Armrest left        | #6  |      |          | #A 8pcs           |
|                         | Armrest right       | #7  |      |          | #B 5pcs           |
|                         | Legs                | #8  | x 4  |          | #C 1pc            |
|                         | Right seat cushion  | #10 |      |          | #D 4pcs           |
| SL6932 /<br>SL6936-SF-2 | Middle seat cushion | #11 |      |          | #E 4pcs           |
|                         | Left seat cushion   | #12 |      |          | #F 4pcs           |
|                         | Back cushions       | #13 | x 3  |          | #G 4pcs<br>#H 1pc |
|                         | Pillows             | #14 |      | v        |                   |
|                         | Front panel cover   | #15 |      |          |                   |


Take the Pillow (14), Back Cushion (13), Blister Hardware out from the Armrest Right (7). Velcro the bottom of the Armrests.




2 Take the Pillow (14), Back Cushion (13) out from the Armrest Left (6). Velcro the bottom of the Armrests.




Open the Seat Cushions (10, 11, 12), Back Cushions (13) and Pillows (14) by suitable tools. Note: Cushions need 48 hours to bounce back.




Close the Velcro. Attach the sofa Legs (8) to the Armrests (6 / 7).




Attach the Support Rails (1) to the Armrests (6 / 7) by the Bolt 5/16" x 50mm (B) and Allen Key (C).




- Align and insert the Threaded Rod 5/16" x 80mm (D) into the hole on the Armrests and turn clockwise to tighten by manually.
  - Insert Bolts 5/16" x 25mm (A) with Allen Key (C) on the Armrests by manually. NOTE: Do not fully tighten the bolts, leave at least 10mm visible so that you can hanger hook on the bolts.




Overturn back cover, open zipper
Raise the Backrest Frame (5) up and place the rod (D) to align with the bore holes on the end
of the Backrest Frame (5). Put the Backrest Frame (5) up against the Armrests (6 / 7) so the
threaded rods (D) go through the bore holes. Insert flat washer (F), spring lock washers (G)
and place hex nuts (E) on threaded rod (D) then tighten the hex nuts (E) with wrench (H)
provided. Do not fully tighten the hex nuts, equally distance divided on both sides.




Raise the Front/Back Panels (2 / 3) up , bring the Front/Back Panels (2 / 3) and align the hook on the side rail to the bolts. Once the Front/Back Panels (2 / 3) is set, tighten all bolts by using a Allen key (D). After assembly, re-tighten all bolts for a snug fit. DO NOT OVER TIGHTEN.




After assembly, re-tighten all bolts for a snug fit.
Close the Zipper
Close Velcro the cover of Backrest Frame (5) and Armrest (6 / 7).




**10** Attach the Front Panel Cover (15) by Velcro.




Attach the Middle Support Legs (9) to the Seat Frame (4).




12 Drop Seat Frames (4) to the Armrest (6 / 7). Attach the Seat Frames (4) to the Back panel (2) by the Bolt 5/16" x 50mm (B) and Allen Key (C).




13 Insert the Seat Cushions.



14 Insert the Back Cushions and Pillows.







Unpack and wait 48 hours for recovery

# ASSEMBLY COMPLETED



Please ensure the furniture rests on an even and flat surface. If the product wobbles or feels loose, double-check all bolts and/or screws are properly tightened and secured.

✓ Keep this handy!

Please retain this instruction manual and any order-related information for future reference.

To avoid damage to product please always LIFT the product when transporting of adjusting the placement.

This product is intended for RESIDENTIAL USE ONLY and not for commercial use.